

REGAL DRAPES

Roman Shades Installation Instructions – Outside Mount

Warning

Young Children and Pets can STRANGLE in bead chain loops. They can also wrap cords around their necks and STRANGLE.

Always keep cords and bead chains out of children's reach.

Move cribs, playpens and other furniture away from cords and bead chains. Children can climb furniture to get to beaded chains.

Attach tension device to wall or floor. This can prevent children from pulling cords and bead chains around their necks. Fasteners provided with the tension device may not be appropriate for all mounting surfaces. Use appropriate anchors for the mounting surface conditions.

Included Hardware

Mounting Brackets - A bracket is provided for every 16" in width of each Roman Shade

1" Wood Screws – 1 per bracket for Roman Shades less than 60" wide. 2 per bracket for widths greater than 60".

Metal Anchors

Tools Required



Cordless Drill Screwdriver Step Ladder

Level

Pencil

Step 1 – Mount Brackets



Note the orientation of the bracket.

Important: The arrow symbol on the bracket must face upwards!


The depth of the top section of the bracket, represents the projection of your roman shade. (Our standard depth is 1 5/8", Oversized Roman Shades may require larger brackets with a 2 3/4" projection.)



Placement of your bracket sets the projection of your roman shade.

Place the roman shade in the desired spot above the window. Place the level on top of the shade and ensure that it is level. Mark a small line across the top of the Roman Shade.

Brackets are to be installed 2 inches from each edge of the roman shade. There should not be a space wider than 16" in between brackets.




Set top of bracket against the marked line with arrow facing up against wall and set a screw into the center hole. (use anchors where studs can't be found). Repeat for each bracket. Install additional brackets as necessary

Step 2 - Roman Shade Installation



Detach fabric from the header (Peel Velcro).



Place the Roman Shade in up position and insert into the bracket.

Position the shade so that the front is lowered, and insert it onto the mounting brackets (rear first, then push in). Once you hear a “click” the Shade will be secure.

A light tug on the shade will determine if it is in place.

Once in place, reattach the wrapped fabric of the Roman Shade back onto the rear part of the metal track to conceal the hardware and brackets.

Tension Device – For Roman Shades with Pull Chain

WARNING - *The tension device aids in reducing the hazard of strangulation and entanglement of young children or pets by limiting access to the control cord.*



- Install the Tension Device – Anchor the Tension Device to the window frame or wall (instructions enclosed). For hollow dry wall installation use the enclosed anchors.

Step 3 - “Dressing” your Roman Shade

Some roman shade styles, especially those made of heavier fabrics will require “dressing” when raised or lowered. This means you may have to “train” the fabric to lay properly by hand when adjusting the shade. It is done simply by gently pressing down on folds that don’t automatically fall into place.

Over time many fabrics develop memory and will no longer require to be dressed.

Shade Care Instructions

Once the shade has been installed, any wrinkles will hang out on their own within 1 – 2 weeks. A garment or commercial steamer may also be used to help smooth out the wrinkles. Clean shade with a vacuum attachment (covered with nylon or cheesecloth).

Questions Comments

Our dedicated customer service team is available to help. Contact us at **1-800-256-5005** or email at customercare@regaldrapes.com.